



Most Widely Accepted and Trusted

ICC-ES Listing

ESL-1022

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Reissued 07/2016

This listing is subject to renewal 07/2017.

DIVISION: 07 00 00—THERMAL AND MOISTURE
SECTION: 07 25 00—WATER-RESISTIVE BARRIER/WEATHER BARRIERS

REPORT HOLDER:

R.H. TAMLYN & SONS LP

**13623 PIKE ROAD
STAFFORD, TEXAS 77477-5103**

EVALUATION SUBJECT:

TAMLYNWRAP™ HOUSEWRAP



Look for the trusted marks of Conformity!

“2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence”



A Subsidiary of

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



ICC-ES Listing**ESL-1022**

Reissued July 2016

This listing is subject to renewal July 2017.www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 07 00 00—THERMAL AND MOISTURE
Section: 07 25 00—Water-resistive Barrier/Weather Barriers

Product Certification System:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the listee's quality system.

Product: TAMLYNWRAP™ HOUSEWRAP

Listee: R.H. TAMLYN & SONS LP
13623 PIKE ROAD
STAFFORD, TEXAS 77477-5103
(281) 499-9604
(800) 384-1676
www.tamlynwrap.com

Evaluation: The TamlynWrap™ Housewrap, was evaluated based on testing to the following standards:

- UL 723-2008 and -03, Tests for Surface Burning Characteristics of Building Materials
- ASTM E84-09 and -07, Standard Test Method for Surface Burning Characteristics of Building Materials

Findings: The TamlynWrap™ Housewrap has a flame spread index of 25 or less, and smoke developed index of 450 or less, per UL723/ASTM E84.

Identification: Each roll of the TamlynWrap™ Housewrap is identified with a label indicating the manufacturer's name, logo and website address, the product name and the listing number (ESL-1022) and/or the ICC-ES evaluation report number (ESR-3670).

Installation: The product must be installed in accordance with the R.H. Tamlyn & Sons instructions.

Conditions of listing:

1. The listing addresses only conformance with the standards and code sections noted above. Additional information can be found in ICC-ES evaluation report [ESR-3670](#).
2. Approval of the product's use is the sole responsibility of the local code official.